



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

*Outgoing quarantine transactions.*

Passed Assistant Surgeon Hobdy reports, March 27:

Week ended March 14:

Vessels disinfected and certified..... 63

Vessels certified..... 27

Week ended March 21:

Vessels fumigated and certified..... 62

Vessels certified..... 38

*Report from Seattle, Wash.—Date of finding of last plague rat.*

Passed Assistant Surgeon Glover reports, April 4:

One rat in which plague was positively determined was found March 25 on the water front in an indeterminate locality.

STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES AND CITIES  
OF THE UNITED STATES—UNTABULATED.

CALIFORNIA—*Sacramento*.—Month of February, 1908. Estimated population, 50,000. Total number of deaths 55, including 9 from tuberculosis. Cases: Diphtheria 3 and scarlet fever 5.

INDIANA.—Month of January, 1908. Estimated population, 2,648,594. Total number of deaths, 3,200, corresponding to an annual death rate of 14.0 per 1,000 of population, including 36 from diphtheria, 51 from enteric fever, 7 from measles, 9 from scarlet fever, 11 from whooping cough, and 391 from tuberculosis.

Morbidity: Diphtheria, 203 cases in 40 counties; enteric fever, 256 cases in 42 counties; smallpox, 240 cases in 32 counties.

IOWA—*Sioux City*.—Month of March, 1908. Estimated population, 50,000. Total number of deaths not reported. Two deaths from diphtheria and 1 from scarlet fever. Cases: Diphtheria 9, measles 44, scarlet fever 9, smallpox 16, and whooping cough 3.

KENTUCKY—*Hopkinsville*.—Year ended December 31, 1907. Estimated population, 8,000. Total number of deaths 125, including diphtheria 1, enteric fever 15, measles 1, and 13 from tuberculosis. Cases: Diphtheria 2, enteric fever 33, measles 10, scarlet fever 10, and tuberculosis 15.

MASSACHUSETTS—*Worcester*.—Year ended December 31, 1907. Estimated population, 147,084. Total number of deaths, 2,572, including diphtheria 84, enteric fever 18, measles 12, scarlet fever 25, whooping cough 21, and 230 from tuberculosis. Cases: Diphtheria 1,178, enteric fever 95, measles 92, scarlet fever 304, whooping cough 17, and tuberculosis 286.

MICHIGAN.—Month of February, 1908. There were 3,235 deaths returned to the department of state as having occurred during the month of February, which corresponds to an annual death rate of 16.2 per 1,000 estimated population. There was an increase of 138